This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

UNIVERSITY of MICHIGAN
GENERAL LIBRARY
GIFT OF WILLIAM C. BATES
AND BEQUEST OF

British Museum (Nat. Hist.)
Dept. of Zoology
QL
596
.C9
B862
228

LIST

OF

BRITISH CURCULIONIDÆ,

WITH

SYNONYMA.

BY

JOHN WALTON, F.L.S., &c.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1856.

LONDON:
PRINTED BY EDWARD NEWMAN,
9, DEVONSHIRE STREET, BISHOPSGATE.

QL
596
C9
B862

Bates
Wheldon
2-6-25
11593

PREFACE.

THE object of the present Catalogue has been to give a complete list of all the genera and species of *Curculionidæ*, known to inhabit the British Islands.

The letters B. M. on the margin denote the species now contained in the British Museum, and the absence of these letters indicate the species which are desiderata, and therefore desirable to be procured for the collection.

JOHN EDWARD GRAY.

British Museum,
Sept. 10*th*, 1856.

CATALOGUE

OF

BRITISH RHYNCHOPHORA.

Fam. 1. BRUCHIDÆ, *Leach.*

1. BRUCHUS, *Linnæus.*

1. B. Pisi, *Linn.; Oliv. E.* iv. 79, pl. 1, f. 6; *Germ.; Steph. sec. ej. descr.* (*peregr.?*); *Schönh.*

2. B. rufimanus, *Schönh.; Steph. Manual.* B. M.
... Pisi, *Panz. F.* 66, f. 14.—*Samou.* pl. 2, f. 17.
... granarius, *Marsh.; Steph.; non Linn.*
... Pisi, *Steph. sec. ej. Mus.*

3. B. flavimanus (*Megerle*), *Schönh.; Walt.*

4. B. loti, *Payk.; Gyll.; Steph.; Schönh.* B. M.
... Lathyri (*Kirb.*), *Steph.*

5. B. seminarius, *Linn.; Marsh.? Steph.* B. M.
... granarius, *Payk.; Oliv. E.* iv. 79, pl. 1, f. 10; *Gyll.; Germ.; Schönh.; nec Linn.*
... affinis, *Steph.*

6. B. luteicornis, ♂, *Illiger; Panz. F.* 25, f. 23. B. M.
... seminarius, *Marsh.*

7. B. PECTINICORNIS, ♂, *Linn. Mus.; Fab.*
... Theobromatis, ♀, *Linn.?*
... scutellaris, *Schönh.* ♂. ♀.
... scutellaris, ♀, *Fab.; Steph. Manual.* (*peregr.?*)
... analis, *Fab. Mus. Banks.*
... rufus, *DeGeer, Ins.* v. 281, pl. 16, f. 7, ♀.

8. B. VILLOSUS, *Fab.* (1792), *sec. ej. Mus.*
... Cisti, *Payk.* (1792); *Pz. F.* 66, f. 12; *Gyll.; Steph.; Schönh.; Curt.; non Fab.*
... ater, *Marsh.; Steph. Syst. Cat.; Kirb. Mus.*

9. B. CISTI, *Fab.* (1781), *sec. Mus. Banks.* B. M.
... ater, *Curt. Ent.* ii. pl. 754; *nec. Marsh.*
... canus, tibiellus, et debilis, *Steph. Manual.*

2. BRACHYTARSUS, *Schönherr.*

1. B. SCABROSUS, *Fab.; Pz. F.* 15, f. 15; *Marsh.; Steph.; Gyll.; Schönh.* B. M.

2. B. VARIUS, *Fab.; Pz. F.* 15, f. 16; *Gyll.; Steph.; Schönh.* B. M.

3. TROPIDERES, *Schönherr.*

1. T. ALBIROSTRIS, *Herbst, C.* vii. 162, pl. 106, f. 4, a; *Gyll.; Steph.; Schönh.* B. M.

2. T. NIVEIROSTRIS, *Fab.; Oliv. E.* iv. 80, pl. 1, f. 8; *Gyll.; Steph.; Schönh.* B. M.
... brevirostris, *Marsh.*

4. PLATYRHINUS, *Clairville.*

1. P. LATIROSTRIS, *Fab.; Marsh.; Curt. Ent.* ii. pl. 723; *Gyll.; Steph.; Schönh.* B. M.

5. ANTHRIBUS, *Fabricius.*

1. A. ALBINUS, *Linn.; Marsh.; Gyll.; Curt. Ent.* ii. pl. 726, ♂; *Steph.; Schönh.* B. M.

6. CHORAGUS, *Kirby.*

Alticopus, *Villa; Schönh.*

1. C. SHEPPARDI, *Kirby, in Trans. Linn.* xii. pl. 22, f. 14; *Steph.* B. M.
... niger, *Kirby; Steph.*
Alticopus Galeazzii, *Villa.; Schönh.*
Anthribus pygmæus (*Robert*), *Guerin.*

7. RHINOMACER, *Fabricius.*

1. R. ATTELLABOIDES, *Fabr.; Steph. Mand.* iv. 207, pl. 21, f. 3; *Schönh.* B. M.
Rhynchites Rhinomacer, *Gyll.*

Fam. 2. ATTELABIDÆ, *Westwood.*

8. APODERUS, *Olivier.*

1. A. CORYLI, *Linn.; Clairv. E. H.* i. pl. 15, f. 1, 2; *Gyll.; Schönh.* B. M.
... Avellanæ, *var.*, *Linn.; Marsh.; Steph.*

9. ATTELABUS, *Linnæus.*

1. A. CURCULIONOIDES, *Linn.; Marsh.; Gyll.; Steph.; Curt. Ent.* ii. pl. 710; *Schönh.* B. M.

10. RHYNCHITES, *Herbst.*

1. R. BETULÆ, *Linn.; Herbst. C.* vii. 133, pl. 104, f. 9, C; *Marsh.; Gyll.; Schönh.* B. M.
Deporaüs Betulæ (*Leach*); *Steph.*

2. R. MEGACEPHALUS, *Germ.* (1824).
... Mannerheimi, *Hummel.*
... lævicollis et cyaneopennis, *Steph.* (1831).
... constrictus (*Waltl.*), *Schönh.* (1839).

3. R. PUBESCENS, *Fab.; Herbst. C.* vii. 139, pl. 105, f. 3; *Germ.; Marsh.; Steph.; Schönh.* B. M.
... cavifrons, ♂ (*Chevr.*), *Schönh.; Steph. Manual.*

4. R. OPHTHALMICUS, *Steph. Mand.* (1831). B. M.
... comatus, ♂, et cyanicolor, ♀, *Schönh.* (1833).
... similis, ♂, *Curtis, Ent.* ii. pl. 642.
... sericeus, *Steph. Manual; nec Herbst.*
... tomentosus, *Schönh.*

5. R. NANUS, *Payk.* (1792); *Gyll.; Germ.; Steph.; Schönh.* B. M.
... minutus, *Herbst, C.* vii. 135, pl. 104, f. 11, e.
... cæruleus (1798), et planirostris, *Fab.* (1801).
... cylindricus, ♀ (*Kirb.*), *Steph.*

6. R. CONICUS, *Illiger* (1801—1807); *Germ.; Schönh.* B. M.
... confinis, *Steph. Mand.*
... Alliariæ, *Oliv. E.* v. 81, pl. 2, f. 35; *Marsh.; Steph.*

7. R. PAUXILLUS, *Germ.* (1824); *Schönh.; Steph. Manual.* B. M.
... atrocæruleus, *Steph. Mand.*

8. R. ALLIARIÆ, *Payk.* (1792); *Gyll.* (1813). B. M.
... interpunctatus (*Wilkin*); *Steph.* (1831).
... longirostris, *Steph. Mand.*
... megacephalus, *Schönh.*

9. R. GERMANICUS, *Herbst, C.* vii. 135, pl. 104, f. 11. B. M.
... nanus, *Marsh.* (1802).
... minutus, *Gyll.* (1813); *Steph.; Schönh.*
... rugipennis, *Steph. Mand.*
... æneovirens, *Kirb. Mus.*

10. R. ÆQUATUS, *Linn.; Don.* iv. pl. 121, f. 1, 2; *Marsh.; Gyll.; Steph.; Schönh.* B. M.

11. R. CÆRULEOCEPHALUS, *Schaller* (1783); *Pz. F.* 94, f. 6; *Fab.; Steph.; Schönh.* B. M.

12. R. ÆNEOVIRENS, *Marsh.* (1802); *Steph.* B. M.
... Fragariæ, *var.* (*Sturm.* 1826), *Schönh.*
... obscurus (*Megerle*), *Schönh.*

13. R. CUPREUS, *Linn.; Panz. F.* 20, f. 9; *Marsh.; Gyll.; Steph.; Schönh.* B. M.

14. R. BETULETI, *Fab.* (1792); *Don.* iii. pl. 74; *Herbst; Gyll.; Germ.; Schönh.*
... Betulæ, *Linn.; Marsh.; Steph.*
... nitens, *Marsh.*

15. R. POPULI, *Linn.; Pz. F.* 20, f. 7; *Marsh.; Gyll.; Steph.; Germ.; Schönh.* B. M.

16. R. AURATUS, *Scop. Ent. Carn.* (1763); *Schönh.* B. M.
... Bacchus, *Marsh.; Gyll.; Steph.; Don.* 1, pl. 34, f. 1, ♂.

17. R. BACCHUS, *Linn.; Sulz. Gesch. d. Ins.* 38, pl. 4, f. 4; *Schönh.* B. M.

11. APION, *Herbst.*

1. A. CRACCÆ, *Linn.; Herbst, C.* vii. pl. 102, f. 2, B; *Marsh.; Kirb.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... ruficorne, ♂, *Herbst, C.* vii. 110, pl. 102, f. 8, b; *Kirb.; Germ.; Steph.*

2. A. POMONÆ, *Fab.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... cærulescens, *March.; Kirb. in Tr. Linn.* ix. pl. 1, f. 4.
... glaber, *var.* β, *Marsh.*

3. A. SUBULATUM, *Kirb. in Tr. Linn.* ix. 28, pl. 1, f. 5; *Germ.; Gyll.; Steph.; Schönh.* B. M.
... Marshami, *Steph.*, ♀; *Schönh.*, ♂.
... platalea, ♂, *Curtis.*

4. A. LIMONII, *Kirb. in Tr. Linn.* ix. pl. 1, f. 20; *Germ.; Steph.; Schönh.* B. M.

5. APION MARCHICUM, *Herbst, C.* vii. 118, pl. 103, f. 7; *Germ.; Gyll.; Schönh.* B. M.
... Spartii, *Kirb.; Germ.; Steph.; Schönh.*
... Rumicis, *var., Kirb.; Germ.; Steph.*
... violaceum, *Gyll.*
... aterrimus, ♀, *Linn. sec. ej. Mus.*

6. A. AFFINE, *Kirb.; Germ.; Steph.; Schönh.* B. M.

7. A. HUMILE, *Germ. M.* ii. 232, pl. 3, f. 1 (1817); *Gyll.; Steph.; Schönh.* B. M.
... brevirostre, *Kirb.; Gyll.; nec Herbst.*
... curtirostre, *Germ.; Steph.*
... Sedi, *var., Gyll.; nec Germ.*
... plebeium, *Steph.*

*8. A. SEDI, *Germ.; Schönh.* B. M.

9. A. MINIMUM, *Herbst, C.* vii. 115, pl. 103, f. 3, g; *Gyll.; Germ.; Schönh.; Steph. Manual.* B. M.
... velox, *Kirb.; Germ.; Steph. Mand.*
... aterrimus, ♂, *Kirb. sec. ej. Mus.; non Linn.*
... foraminosum, *Schönh.*

10. A. SIMILE, *Kirb.; Germ.; Steph.; Schönh.* B. M.
... superciliosum, *Gyll.; Schönh.*
... triste, *Germ.*

11. A. TENUE, *Kirb.; Germ.; Steph.; Schönh.* B. M.

12. A. SENICULUS, *Kirb.; Gyll.; Steph.; Schönh.* B. M.
... tenuius, *Gyll.; Germ.*
... pusillum, ♀, *Steph. sec. ej. Mus.*
... pubescens, ♂, ♀, *Schönh.*

13. A. PUBESCENS, *Kirb.; Steph.* B. M.
... civicum, *Germ.*
... Salicis (*Chevr.*), *Schönh.*

14. A. CURTISII (*Kirb.*), *Curtis, Ann. Nat. Hist.* v. 281. B. M.

15. A. VIOLACEUM, *Kirb. in Tr. Linn.* ix. 65, pl. 1, f. 16; *Gyll.; Steph.; Schönh.* B. M.

16. A. HYDROLAPATHI, *Marsh.; Kirb. in Tr. Linn.* ix. pl. 1, f. 17; *Steph.; Schönh.* B. M.
... cæruleopenne, *Steph. Mand.*

17. A. MALVÆ, *Fab.; Kirb. in Tr. Linn.* ix. 20, pl. 1, f. 2; *Marsh.; Germ.; Steph.; Schönh.* B. M.

18. A. FRUMENTARIUM, *Linn.; Payk.* (1792); *Pz. F.* 20, f. 14; *Gyll.; Schönh.* B. M.
... hæmatodes, *Kirb.; Germ. M.* ii. pl. 4, f. 25; *Steph.*

19. A. RUBENS (*Ingall*), *Steph. Manual.* B. M.

20. A. SANGUINEUM, *DeGeer; Gyll.; Schönh.* B. M.

21. A. CRUENTATUM, *Walt.* B. M.
... sanguineum, *Steph. sec. ej. Mus.*

22. A. MINIATUM, *Schönh.* B. M.
... frumentarium, *Herbst, C.* vii. 107, pl. 102, f. 6; *Marsh.; Kirb.; Germ.; Steph.*

23. A. VERNALE, *Fab.; Herbst; Kirb.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... Lythri, *Panz. F.* 17, f. 8.
... concinnus, *Marsh.*

24. A. ONOPORDI, *Kirb.; Germ. M.* ii. pl. 2, f. 14; *Gyll.; Steph.; Schönh.* B. M.
... rugicolle, *var.*, *Steph.*
... penetrans, *Steph.*

25. A. RADIOLUS, *Marsh.; Kirb.; Germ. M.* ii. pl. 2, f. 13; *Gyll.; Steph.; Schönh.* B. M.
... aterrimus, *Marsh.; Gyll.; nec Linn.*
... oxurum, *var.*, *Kirb.; Germ.*
... nigrescens, ♀, *Steph. Mand.*
... validum, *Germ.; Schönh.*

26. A. CONFLUENS, *Kirb. in Tr. Linn.* ix. 62, pl. 1, f. 15; *Steph.* B. M.
... stolidum, *Gyll.; Schönh.*

27. A. STOLIDUM, *Germ. M.* ii. 218, pl. 2, f. 5; *Steph. Man.* B. M.
... confluens, *Gyll.; Schönh.*

28. A. LÆVIGATUM, *Kirby.; Germ.; Steph.; Schönh.* B. M.
... brunnipes, *Schönh.*

29. A. ÆNEUM, *Fab.; Herbst, C.* vii. pl. 102, f. 1, A; *Marsh.; Kirb.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... chalceus, *var.* β, *Marsh.*

30. A. CARDUORUM, *Kirb. in Tr. Linn.* ix. 72, pl. 1, f. 19 (1808); *Germ.; Steph.* B. M.
... Sorbi, *Marsh.*
... gibbirostre, *Gyll.* (1813); *Schönh.*
... tumidum, *var., Steph. Mand.*

31. A. RUFIROSTRE, *Fab.; Herbst, C.* vii. pl. 102, f. 10, ♂; *Marsh.; Kirb.; Germ.; Gyll.; Schönh.; Steph.* B. M.
... malvarum, ♀, *Kirb.; Germ.*
... Trifolii, *Marsh.; nec Linn.*

32. A. PALLIPES, *Kirb. in Tr. Linn.* ix. 38, pl. 1, f. 7; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... geniculatum, *Germ.*

33. APION GERMARI, *Walt.* B. M.

34. A. ATOMARIUM, *Kirb. in Tr. Linn.* ix. 59, pl. 1, f. 14; *Gyll.; Germ.; Steph. Manual; Schönh.* B. M.
... pusillum, *Germ. M.* ii. 209, pl. 2, f. 4.

35. A. FLAVIMANUM, *Schönh.* (1833). B. M.
... picicorne (*Waterh.*), *Steph. Manual* (1839).

36. A. VICINUM, *Kirb. in Tr. Linn.* ix. 25, pl. 1, f. 3; *Germ.; Steph.; Schönh.* B. M.
... Loti, *Gyll.; Germ.*
... incrassatum, *Germ.*

37. A. HOOKERI, *Kirb. in Tr. Linn.* ix. 69, pl. 1, f. 18; *Germ.; Gyll.; Steph.; Schönh.* B. M.

38. A. STRIATUM, *Marsh; Kirb. in Tr. Linn.* ix. pl. 1, f. 10; *Steph. Manual.* B. M.
... Pisi, *Germ.; Steph. Mand.*
... atratulum, *Germ. M.* ii. 192, pl. 3, f. 16; *Steph.; Schönh.*

39. A. IMMUNE, *Kirb.; Germ.; Steph. Mand.; Schönh.* B. M.
... Betulæ (*Chevr.*), *Schönh.*

40. A. SORBI, *Herbst, C.* vii. 111, pl. 102, f. 9; *Kirb.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... viridescens, *Marsh.*
... aterrimus, ♂, *Gyll.; nec Linn.*
... carbonarium, ♂, *Germ.; Steph. Mand.*

41. A. ERVI, *Kirb.*, ♀; *Germ. M.* ii. pl. 3, f. 13; *Gyll.; Steph.; Schönh.* B. M.
... Lathyri, ♂, *Kirb.; Steph Mand.*

42. A. PUNCTIGERUM, *Germ.; Gyll.; Steph.; Schönh.* B. M.
... sulcifrons, *Kirb.; Steph.; nec Herbst.*
... punctiger, *Payk.; Gyll.*

43. A. SPENCII, *Kirb. in Tr. Linn.* ix. 57, pl. 1, f. 13, ♀; *Germ.; Steph.; Schönh.* B. M.
... foveolatum, *var.* β, γ, *Kirb.; Steph.*
... intrusum, *Gyll.; Steph.*
... columbinum, *Steph.; nec. Germ.*

44. A. VIRENS, *Herbst, C.* vii. 118, pl. 103, f. 6; *Kirb.* ♀; *Germ.; Gyll.; Steph.; Schön.* B. M.
... marchicum, *Kirb.* ♂; *Germ.; Steph.*
... æneocephalum, *Gyll.*

45. A. ASTRAGALI, *Payk.; Kirb. in Tr. Linn.* ix. pl. 1, f. 12; *Gyll.; Germ.; Steph.; Schönh.* B. M.

46. A. LOTI, *Kirb.*, ♂; *Germ.; Steph.* B. M.
... angustatum, *Kirb.*, ♀; *Gyll.; Schönh.*
... modestum, *Germ. Mag.* ii. 234, pl. 4, f. 6.
... glabratum, *var.* (*Spence*); *Germ.; Steph.*
... civicum, *Steph. sec. ej. Mus.*

47. A. AFER, *Schönh.* (1833). B. M.
... validirostre, *Schönh.*
... punticolle (*Waterh.*), *Steph. Manual* (1839).

48. A. PAVIDUM, ♂, *Germ. M.* ii. 203, pl. 4, f. 4; *Steph. sec. ej. descr.* B. M.
... Ononis, *Germ.*
... cinerascens, *Germ.*
... plumbeum, *Schönh.*

49. A. WALTONI, *Steph. Manual; Curtis, in litt. et Schönh. in litt.*
... Curtisii, *Schönh.*

50. A. SCUTELLARE, *Kirb.; Germ.; Schönh.* B. M.
... Kirbii (*Leach*), *Germ.; Steph. Manual.*

51. A. OBSCURUM, *Marsh.; Kirb.; Steph.; Schönh.*

52. A. FLAVIPES, *Fab.* (1781); *Herbst, C.* vii. 106, pl. 102, f. 5; *Kirb.; Gyll.; Germ.; Steph; Schönh.* B. M.

53. A. NIGRITARSE, *Kirb. in Tr. Linn.* ix. 36, pl. 1, f. 6, ♀; *Germ.; Steph.; Schönh.* B. M.
... Waterhousei, *Schönh.*

54. A. ASSIMILE, *Kirb.; Germ.; Gyll.; Steph.; Schönh.* B. M.
... flavipes, *var.* δ, *Gyll.*

55. A. APRICANS, *Herbst, C.* vii. 117, pl. 103, f. 5; *Germ.; Gyll.; Steph.; Schönh.* B. M.
... Fagi, *sec. Mus. Linn. et Mus. Kirb.*
... flavifemoratum, *Kirb.*

56. A. TRIFOLII, *Linn. sec. ej. Mus.; Syst. Nat.* iii. *App.* 224. B. M.
... æstivum, *Germ.; Gyll.; Steph.; Schönh.*
... ruficrus, ♂, *Germ. M.* ii. 171, pl. 4, f. 17; *Schönh.*
... flavifemoratum, *Kirb., var.* β.
... Leachii, *Steph. Mand.*

57. A. SCHŒNHERRI (*Waterh.*), *Schönh.; Walt.*

58. A. VARIPES, *Germ. M.* ii. 173, pl. 4, f. 19; *Gyll.; Steph.; Schönh.* B. M.
... flavifemoratum, *var.* γ, *Kirb.*
... flavipes, *var.* c, *Gyll.*

59. A. LÆVICOLLE, *Kirb.; Germ.; Steph.; Schönh.* B. M.

60. A. DIFFORME, *Germ.; Curt. Ent.* ii. pl. 211; *Steph.; Schönh.* B. M.
... compressicorne, *Dej. Cat.*

61. A. DISSIMILE, *Germ. M.* ii. 171, pl. 4, f. 18, a—d; *Schönh.; Walt.*

62. A. FILIROSTRE, *Kirb.; Steph.* B. M.
... morio, *Germ.; Schönh.*

63. A. EBENINUM, *Kirb. in Tr. Linn.* ix. 55, pl. 1, f. 11; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... Kunzei, *Schönh.*

64. A. VICIÆ, *Payk.; Kirb.; Gyll.; Germ. M.* ii. pl. 4, f. 15; *Steph.; Schönh.* B. M.
... Griesbachii, *Steph. Mand.*

65. A. ONONIS, *Kirb.; Germ. M.* ii. pl. 3, f. 24; *Steph.* B. M.
... mecops, *Schönh.*

66. A. VORAX, *Herbst, C.* vii. 119, pl. 103, f. 8; *Kirb.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... villosulus, ♀, et fuscicornis, ♂, *Marsh.*
... pavidum, *Steph. Mus.*

67. A. PISI, *Megerle; Fab.; Germ; Schönh.; Steph. Manual.* B. M.
... punctifrons, *Kirb. in Tr. Linn.* ix. 50, pl. 1, f. 9; *Germ.; Steph. Mand.*
... æratum, *Steph. Mand.*

68. A. ÆTHIOPS, *Herbst, C.* vii. pl. 103, f. 9; *Germ.; Gyll.; Schönh.* B. M.
... subsulcatum, *Marsh.; Kirb.; Germ.; Steph.*
... Marchicum, *Gyll.*
... subcæruleum, *Steph. Mand.*

69. A. LIVESCERUM, ♂, *Schönh.; Walt.*
... translaticium, ♀, *Schönh.*
... Hedysari, *Walt. in litt.*

70. A. GYLLENHALI, *Kirb.*, ♀; *Gyll.; Germ.; Steph.; Schonh.* B. M.
... unicolor, *Kirb.*, ♂; *Germ.; Steph.; Schönh.*
... Aethiops, *Gyll.*

71. A. MELILOTI, *Kirb.; Germ.; Steph.; Schönh.* B. M.
... bifoveolatum, *Steph.*

12. OXYSTOMA, *Duméril; Stephens.*

1. O. FUSCIROSTRIS, *Fab.; Steph.; Germ.; Schönh.* B. M.
... melanopum, *Marsh.; Kirb.*

2. O. ULICIS, *Foster; Marsh.; Kirb. in Tr. Linn.* ix. 18, pl. 1, f. 1; *Germ.; Steph.; Schönh.* B. M.

3. O. GENISTÆ, *Kirby.; Germ.; Steph.; Schönh.* B. M.
... Astragali, *Herbst, C.* vi. 78, pl. 66, f. 2.

13. RAMPHUS, *Clairville.*

1. R. FLAVICORNIS, *Clairv. E. H.* i. 104, pl. 12, f. 1—4; *Schönh.* B. M.
... pulicarius, *Herbst. C.* vi. 429, pl. 93, f. 12; *Gyll.; Steph.*
... Oxyacanthæ, *Marsh.*

Fam. 3. CURCULIONIDÆ, *Leach.*

14. CNEORHINUS, *Schönherr.*

Philopedon, *Steph.*

1. C. GEMINATUS, *Fab.; Herbst, C.* vi. 348, pl. 87, f. 7; *Gyll.; Steph.; Schönh.* B. M.
... parapleurus, *Marsh.; Steph. Mand.*
... maritimus, *Marsh.*
... scrobiculatus, *Marsh.; Steph.*
... albicans, *Schonh.*

2. C. EXARATUS, *Marsh.; Don.* xii. pl. 414, f. 2; *Steph.; Schonh.* B. M.
... plumbeus et sexstriatus, *Marsh.*

15. STROPHOSOMUS, *Billberg.*

1. S. CORYLI, *Fab.; Mart. C.* pl. 19, f. 20; *Marsh.; Gyll., var.* C; *Steph.* B. M.
... illibatus, *Schönh.*

2. S. OBESUS, *Marsh.; Kirb. Mus., var.* δ. B. M.
... Coryli, *Payk.; Gyll.; Schönh.*
... subrotundus et atomarius, *Marsh.; Steph.*
... Asperifoliarum, *Steph. Mand. non Kirb. MSS.*
... rufipes et nebulosus, *Steph. Manual.*
... cognatus, *Steph. Mand.*

3. S. FULVICORNIS (*Curt.*), *Walt.*

4. S. RETUSUS, *Marsh.; Steph. Mand.* B. M.
... squamulatus, *Steph. Manual.*
... alternans et oxyops (*Chevr.*), *Schönh.*
... obesus, *Kirb. Mus.*, α, β, γ.

5. S. HIRTUS, *Schönh. Syn. Ins.* viii. 399 (*Mant. Curc.*)

6. S. FABER, *Herbst; Germ.; Schönh.* B. M.
... pilosus, *Herbst, C.* vi. pl. 77, f. 6.
... limbatus, *Marsh.*
... pilosellus, *Gyll.; Steph.*
... chætophorus et septentrionis, *Steph.*

7. S. LIMBATUS, *Fab.; Payk.; Gyll.; Germ.; Schönh.; Steph. Manual.* B. M.
... Sus (*Kirb.*), *Steph. Mand.*

16. SCIAPHILUS, *Schönherr.*

1. S. MURICATUS, *Fab.; Herbst, C.* vi. pl. 87, f. 9; *Gyll.; Steph.; Schönh.* B. M.
... setosus, *Marsh.; Steph. Syst. Cat.*
... asperatus, *Fab.; Steph. Mand.*
... pusillus, *Steph. Mand.*

17. TANYMECUS, *Germar.*

1. T. PALLIATUS, *Fab.; Panz. F.* 19, f. 5; *Gyll.; Steph.; Schönh.* B. M.
... diffinis, *Marsh.*

18. SITONES, *Germar; Schönherr.*

Sitona, *Germar.*

1. S. HISPIDULUS, *Fab.; Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... crinitus, *Herbst, C.* vi. pl. 77, f. 13.
... pallipes, *Steph. Mand.*

2. S. SUTURALIS, *Steph.* B. M.
... rufipes, *Marsh.*

3. S. REGENSTEINENSIS, *Herbst, C.* vii. 46, pl. 98, f. 3; *Germ.; Schönh.; Steph. Manual.* B. M.
... Spartii (*Kirb.*), *Steph. Mand.*
... Ulicis (*nec Kirb. MSS.*), et femoralis, *Steph. Mand.*

4. S. SULCIFRONS, *Thunb.; Germ.; Schönh.; Steph. Man.* B. M.
... campestris, *Oliv. E.* v. 380, pl. 25, f. 366.
... tibialis, *Gyll.; Steph. Mand.*
... chloropus, *Marsh.*
... subauratus (*Kirb.*), et pleuriticus (*Kirb.*), *Steph. Mand.*

5. S. LINEATUS, *Linn. Mus.; Don.* xi. pl. 389, f. 2; *Marsh.; Gyll.; Steph.; Schönh.* B. M.
... ruficlavis et griseus, *Marsh.; Steph. Mand.*

6. S. PUNCTICOLLIS (*Kirb.*), *Steph. Mand.* (1831). B. M.
... insulsus, *Schönh.* (1834).
... octopunctatus, *Germ.*

7. S. FLAVESCENS, *Marsh.* (1802); *Steph. Mand.* B. M.
... octopunctatus, *Schönh.* (1834).
... nigriclavis et longiclavis, *Marsh.; Steph. Mand.*
... caninus, *Gyll.; Steph. Mand.*

8. S. HUMERALIS (*Kirb.*), *Steph.* (1831). B. M.
... Pisi, *Steph. Mand.*
... promptus, *Schönh.* (1834).

9. S. MELILOTI, *Walt.*

10. S. TIBIALIS, *Herbst*, *C.* vi. 217, pl. 75, f. 5; *Germ.; Schönh.; Walt.* B. M.
... lineellus, *Gyll.; Schönh.*
... ambiguus, *Schönh.*

11. S. ORNITUS, *Oliv. E.* v. 382, pl. 35, f. 550; *Steph.; Schönh.* B. M.
... lineella et albescens, *Steph. Mand.*
... macularius, *Marsh.*

12. S. WATERHOUSEI (*Schönh. in litt.*), *Walt.* B. M.

13. S. CAMBRICUS (*Kirb.*), *Steph.* (1831). B. M.
... cribricollis, *Schönh.* (1834).

14. S. GRISEUS, *Fab. Mus. Banks.; Schönh.* B. M.
... gressorius, *Fab.; Germ.; Schönh.*
... fuscus, *Marsh.; Steph.*

19. POLYDROSUS, *Germar.*

1. P. UNDATUS, *Fab.; Oliv. E.* v. pl. 35, f. 553; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... fulvicornis, *Steph.*
... seleneus, *Marsh.*
... rufipes, *Linn. sec. ej. Mus.*

2. P. MICANS, *Fab.; Gyll.; Pz. F.* 19, f. 9; *Germ.; Steph.; Schönh.* B. M.
... Pyri, *Don.* iv. pl. 121, f. 4; *Marsh.?; Kirb. Mus.*

3. P. FLAVIPES, *DeGeer; Gyll.; Steph.; Schönh.* B. M.

4. P. PTERYGOMALIS, *Schönh. Supp.* B. M.
... flavipes, *Marsh.*

5. P. SERICEUS, *Schall.* B. M.
... splendidus, *Herbst*, *A.* v. 82, pl. 24, f. 30.
... squamosus, *Germ.*
... speciosus, *Steph.; Curt. E.* ii. pl. 278.

6. P. PLANIFRONS (*Dej. Cat.*), *Schönh.; Walt.; Mus. Brit.* B. M.
... argentatus, *Oliv. E.* v. 416, pl. 5, f. 56, a, b.

7. P. CHRYSOMELA, *Oliv. E.* v. 415, pl. 26, f. 386; *Schönh. Supp.* B. M.
... sericeus, *Steph.*
Metallites pulchellus, *var.*, *Steph. Manual.*

8. P. CONFLUENS (*Kirb.*), *Steph. Mand.* (1831). B. M.
... amaurus, *Marsh.?*; *Steph. Mand.*
... Chrysomela, *Schönh.*; *Steph. Manual.*
... perplexus (*Dej. Cat.*), *Schönh. Supp.* (1840).

9. P. CERVINUS, *Linn.?* *Herbst, C.* vi. 500, pl. 95, f. 6; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
... undatus, *Linn. sec. ej. Mus.*
... melanotus (*Kirb.*), *Steph. Mand.*

20. METALLITES, *Schönherr.*

1. M. MARGINATUS, *Steph. Mand.* (1831) *et Manual.* B. M.
... ambiguus, *Schönh.* (1834).

21. CLEONUS, *Megerle.*

1. C. OPHTHALMICUS, *Rossi*; *Herbst, C.* vi. 86, pl. 65, f. 3; *Steph. Manual.* B. M.
... distinctus, *Steph. Mand.* (*peregr.?*)

2. C. NEBULOSUS, *Linn. Mus.*; *Bonsd. C. S.* ii. 20, f. 4; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.

3. C. GLAUCUS, *Fab.*; *Gyll.*; *Steph.*; *Schönh.* B. M.

4. C. SULCIROSTRIS, *Linn. Mus.*; *Don.* xv. pl. 509, f. 1; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.

5. C. ALBIDUS, *Fab.*; *Pz. F.* xix. f. 7; *Gyll.*; *Schönh. Supp.*; *Steph.* B. M.

22. GRONOPS, *Schönherr.*

1. G. LUNATUS, *Fab.; Gyll.; Steph. Mand.* iv. 89, pl. 20, f. 5. B. M.
... costatus, *Gyll.*

23. ALOPHUS, *Schönherr.*

1. A. TRIGUTTATUS, *Fab.; Marsh.; Steph.; Schönh.* B. M.
... cordiger, *Clairv. E. H.* i. pl. 7, f. 3—4.
... Vau et trinotatus, *Marsh.; Steph. Mand.*
... striatirostris et rufimanus, *Marsh.*

24. LIOPHLŒUS, *Germar.*

1. L. NUBILUS, *Fab.; Millard*, pl. 2, f. 9; *Gyll.; Steph.; Schönh.* B. M.
... maurus, *Marsh.; Steph. Mand.*
... subclavatus, floccosus et subglobosus, *Marsh.*

25. BARYNOTUS, *Germar.*

Merionus, *Steph.*

1. B. OBSCURUS, *Fab.; Herbst, C.* vi. pl. 87, f. 3; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... pilosulus, *Marsh.*
... Schonherri, *Bhn. Schönh. Supp.*

2. B. MŒRENS, *Fab.; Herbst; Schönh. Supp.* B. M.
... elevatus et carinatus, *Marsh.; Steph.*
... Bohemanni, *Gyll. sec. Steph. et Germ.*

26. TROPIPHORUS, *Schönherr.*

Barynotus, *Germ.; Steph.*

1. T. MERCURIALIS, *Fab.; Gyll.; Newm.; Steph.; Schönh.* B. M.
... elevatus, *Herbst, C.* vi. 235, pl. 77, f. 3.
... Æcidii, *Marsh.*
... Terricola, *Newm. Ent. Mag.* v. 173.
... tomentosus, ♀, *Marsh. sec. Steph. Syst. Cat.*

27. TANYSPHYRUS, *Germar.*

1. T. LEMNÆ, *Pk.; Pz. F.* xvii. f. 10; *Gyll.; Steph.; Schönh.* B. M.

28. HYLOBIUS, *Germar.*

1. H. ABIETIS, *Linn. Mus.; Gyll.; Steph.; Schönh.* B. M.
... Pini, *Don.* xv. pl. 529; *Marsh.*

2. H. PINASTRI, *Gyll.; Steph.; Schönh.*

29. MOLYTES, *Schönherr.*

1. M. GERMANUS, *Linn. Mus.; Mart. C.* pl. 22, f. 68; *Marsh.; Steph.; Schönh.* B. M.
... fuscomaculatus, *Gyll.*

2. M. CORONATUS, *Latr.; Schönh.; Steph. Manual.* B. M.
... anglicanus, *Marsh.; Steph. Mand.*
... Germanus, *Don.* i. pl. 34, f. 2; *Gyll.*

30. LEIOSOMUS (*Kirby*), *Steph.*

1. L. OVATULUS, *Clairv. E. H.* i. 82, pl. 6, f. 3, 4; *Steph. Manual; Schönh.* B. M.
... punctatus, *Marsh.; Steph. Mand.*

31. PLINTHUS, *Germar.*

1. P. CALIGINOSUS, *Fab.; Marsh.; Germ.; Steph.; Schönh.* B. M.
... didymus, *Don.* xvi. pl. 570.

32. PROCAS, *Stephens.*

Erirhinus, *Schönherr, olim.*

1. P. PICIPES, *Marsh.; Steph.; Schönh.* B. M.

2. P. GRANULICOLLIS, *Walt.*

33. PHYTONOMUS, *Schönherr.*

Hypera, *Germ.; Steph.*

1. P. PUNCTATUS, *Fab.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... austriacus, *Herbst, C.* vi. 243, pl. 77, f. 11; *Marsh.*
... medius, *Marsh.*

2. P. FASCICULATUS, *Herbst, C.* vi. 289, pl. 82, f. 6; *Germ.; Steph.; Schönh.* B. M.
... fasciculosus, *Gyll.; Curt. E.* ii. pl. 116.

3. P. POLYGONI, *Linn. Mus.; Herbst; Pz. F.* xix. f. 10; *Gyll.; Germ.; Steph. Manual; Schönh.* B. M.
... arator, *Marsh.; Steph. Mand.*
... Polygoni, *Steph. Mand.*
... canescens, Viciæ et picicornis, *Steph. sec. ej. Mus.*

4. P. POLLUX, *Fab.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... commaculatus, *Herbst, C.* vi. 230, pl. 76, f. 8.
... interruptus, *Marsh.; sec. Steph. Cat.*
... alternans, *Steph. Mand.* iv. 95, pl. 20, f. 6.
... Kunzii, *Steph. Manual.*
... palustris (*Leach*), *Steph.*
... Julinii (*Sahlb.*), *Schönh.*
... bitæniatus, *Kirb. Mus.*

5. P. RUMICIS, *Linn. Mus.; Herbst, C.* vi. 241, pl. 77, f. 9; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... Acetosæ, *Pz. F.* 42, f. 9.
... pyrrhodactylus, *Steph. sec. ej. Mus.*

6. P. MURINUS, *Fab.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... elongata, *Steph. sec. ej. Mus.; nec Pk.*
... nebulosa, *Steph. Mand.*
... Plantaginis, *Marsh.*
... fusco-cinereus, *Marsh.; sec. Mus. Steph.*
... dorsiger, *Kirb. Mus.*

7. P. TIGRINUS, *Dej.; Schönh.; Walt.* B. M.
... elongata, *Curt. in litt.*

8. P. PLANTAGINIS, *DeGeer, I.* v. 237, pl. 7, f. 17—21; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... villosula (*Wilk.*), *Steph.*

9. P. NIGRIROSTRIS, *Fab.; Px. F.* 36, f. 14; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... rufipes, *Steph. Mand.*

10. P. TRILINEATUS, *Marsh.; Kirb. Mus.; Germ.* B. M.
... Trifolii, *Steph.; sec. ej. Mus.; nec. Herbst.*
... stramineus, *Marsh.; Steph. Mand.*
... borealis, *Germ.*
... dissimilis, *var.* major, *Herbst, C.* vi. 290, 261.

11. P. VARIABILIS, *Herbst, C.* vi. 263, pl. 80, f. 1; *Gyll.; Steph.; Schönh.* B. M.
... sublineata (*Kirb.*), *Steph.*
... bimaculatus, *Marsh.; Steph. Manual.*
... postica, *Steph. Mand.*
... villosula (*Wilk.*), *Steph.*
... phæopa et picipes, *Steph. Mand.*
... stramineus et interstinctus, *Kirb. Mus.*

12. P. MELES, *Fab. sec. ej. Mus.; Germ.; Schönh.* B. M.
... Trifolii, *Herbst, C.* vi. 266, pl. 80, f. 5; *Gyll.; Steph. sec. ej. descr.*
... murina, *Steph. Mus.*

13. P. SUSPICIOSUS, *Herbst, C.* vi. 265, pl. 80, f. 3; *Germ.; Steph. Manual; Schönh.* B. M.
... miles, *Pk.; Gyll.; Steph. Mand.*
... pedestris, *Pk.; Gyll.; Steph.*
... bitæniatus, *Marsh.*

14. P. ARUNDINIS, *Fab.; Herbst, C.* vi. pl. 71, f. 1; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... Sii, *Leach, MSS.; Kirb. Mus.*

34. LIMOBIUS, *Schönherr, Mant. Curc. Holmiæ* (1847).

Phytonomus, *Schönh. olim.*
Hypera *Germ.; Steph.*

1. L. DISSIMILIS, *Herbst, C.* vi. 290, pl. 82, f. 7; *Gyll.; Germ.; Schönh.* B. M.
Hypera fulvipes, *Steph.*
Hypera fumipes, *Curt. Ann. Nat. Hist.* v. 280.

2. L. MIXTUS, *Dej.; Schönh.; Walt.* B. M.

35. PHYLLOBIUS, *Schönherr.*

1. P. CALCARATUS, *Fab.; Clairv. E. H.* i. pl. 8, f. 3, 4; *Schönh.; Steph. Manual.* B. M.
... cæsius, *Marsh.; Steph. Mand.*
... Pyri, *Steph. Mand. et Mus.*
... æruginosus et cæsius, *Kirb. Mus.*

2. P. ALNETI, *Fab.; Herbst, C.* vi. 260, pl. 79, f. 3; *Steph. Mand.* B. M.
... Pyri, *Marsh.?; Gyll.; Schönh. nec Linn.; Steph. Manual, nec ej. Mus.*
... cnides, *Marsh.; Kirb. Mus.*
... angustatus, *Kirb. Mus.*

3. P. VESPERTINUS, *Fab.; Germ.; Schönh.* B. M.
... Mali, *Fab.; Mart. C.* pl. 19, f. 21, 22; *Marsh.; Gyll.; Steph.*
... Pyri, *Linn. sec. ej. Mus. et descr.*
... amaurus, *Marsh.; var., Mus. Kirb.*

4. P. ARGENTATUS, *Linn. Mus.; Don.* iii. pl. 107; *Marsh.; Steph.; Gyll.; Germ.; Schönh.* B. M.
... arborator, *Herbst, C.* vii. 51, pl. 98, f. 8.

5. P. MACULICORNIS, *Germ. Faun. Ins. Eur.* ix. pl. 12; *Gyll.; Steph.; Schönh.* B. M.

6. P. OBLONGUS, *Linn. Mus.; Mart. C.* pl. 20, f. 33; *Marsh.; Gyll.; Schönh.* B. M.
... rufescens, *Marsh.*
Nemoicus oblongus, *Steph.*

7. P. POMONÆ, *Oliv. E.* v. 380, pl. 35, f. 548; *Germ.; Steph.* B. M.
... albidus, *Steph.*

8. P. UNIFORMIS, *Marsh.; Kirb. Mus.; Steph.; Schönh.* B. M.
... parvulus, *Gyll.; Steph.; non Fab. sec. Germ. et Schönh.*
... minutus, *Steph.*

9. P. VIRIDICOLLIS, *Fab.; Oliv. E.* v. 83, pl. 20, f. 268; *Gyll.; Steph.; Schönh.* B. M.

36. TRACHYPHLOEUS, *Germar.*

1. T. SCABER, *Linn. sec. ej. Mus.; Germ.* B. M.
... tesselatus, *Marsh.; Steph.; Schönh. Supp.*
... confinis, *Steph.*
... Stroph. nigricans (*Kirb.*), *Steph.*
... scabriculus, *Pk.; Bonsd. C. S.* ii. 32, n. 20, f. 21; *Gyll.; Schönh.; nec Linn.*
... bifoveolatus, *Beck.; Germ.*
... hispidulus, *Herbst, C.* 354, pl. 87, f. 14.

2. T. FISSIROSTRIS (*Schönh. in litt.*) *Walt.*

3. T. WALTONI, *Schönh.; Walt.* B. M.
... ventricosus, *Steph.*

4. T. SCABRICULUS, *Linn.; Fab. Mus. Banks.; Germ.; Herbst, C.* vi. 351, n. 324, pl. 87, f. 10; *Marsh.; Steph.* B. M.
... digitalis, *Steph.*
... setarius, ♀, *Schönh.*
... scaber, *Schönh. Supp.*
... maculatus, *var.* β, *Schönh. in litt. olim.*

5. T. SQUAMULATUS, *Oliv. E.* v. n. 425, pl. 31, f. 477 (1789); *Schönh.* B. M.
... aristatus, *Gyll.* (1827); *Schönh.*
... stipulatus, *Germ.*
... hispidulus, *Steph. Mand.*
... setosus, *Marsh. sec. Kirb. Mus.*

6. T. ALTERNANS, *Schönh. Syn. Ins.* ii. 493; *Walt.* B. M.

7. T. SPINIMANUS, *Germ. Ins. Spec.* 405, 550; *Steph.* B. M.

37. CATHORMIOCERUS, *Schönherr.*

1. C. SOCIUS, *Schönh. Supp.*

38. OMIAS, *Schönherr.*

1. O. HIRSUTULUS, *Fab.; Pz. F.* vii. f. 7; *Marsh.; Gyll.; Schönh.* B. M.
... Brachysomus hirsutulus, *Steph.*

2. O. BOHEMANNI, *Schönh.; Walt.*

3. O. BRUNNIPES, *Oliv. E.* v. 384, pl. 35, f. 551; *Steph. Man.; Schönh.* B. M.
... piceus, *Marsh.*
Otiorhynchus piceus, *Germ.; Steph. Mand.*

4. O. SULCIFRONS, *Schönh.; Walt.* B. M.

39. OTIORHYNCHUS, *Germar.*

1. O. LIGUSTICI, *Linn. Mus.; Herbst, C.* vi. pl. 86, f. 8; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.

2. O. SULCATUS, *Fab.; Herbst, C.* vi. pl. 87, f. 5; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.

3. O. PICIPES, *Fab.; Herbst, C.* vi. 359, 334, pl. 88, f. 5; *Gyll.; Germ.; Schönh.* B. M.
... vastator et asper, *Marsh.*
... squamiger, *Marsh.; Steph. Mand.*
... septentrionis, *Steph. Manual.*
... notatus et singularis, *Steph.*
... Marquardtii et Chevrolati, *Schönh.*

4. O. RUGIFRONS, *Gyll.; Steph.; Schönh.* B. M.
... scaber, Dillwynii et rugicollis, *Steph. Mand.*

5. O. OVATUS, *Linn. Mus.; Herbst, C.* vi. pl. 88, f. 2; *Marsh.; Gyll.; Steph.; Schönh.* B. M.
... vorticosus (*Chevr.*), *Schönh.; Steph. Manual.*

6. O. PABULINUS, *Pz. F.* 57, f. 19; *Germ.; Steph. Mand.* B. M.

7. O. CAUDATUS, *Rossi* (1792); *Schönh.* B. M.
... Lima, *Marsh* (1802); *Steph. Mand.* (*peregr.?*)
... bisulcatus, *Steph. Manual.*

8. O. NIGER, *Fab.; Clairv. E. H.* pl. 8, f. 1, 2; *Germ.; Steph. Manual.* B. M.
... ater, *Herbst.*
... villoso-punctatus, *Schönh.*, ♀.

9. O. TENEBRICOSUS, *Herbst, C.* vi. 333, pl. 86, f. 5; *Gyll.; Steph.; Schönh.* B. M.
... morio, *Pk.*, ♀.
... niger, *Pk.*, ♂; *Marsh.; Schönh.*
... ater, *Gyll.*, ♂.
... scrobiculatus, *Schönh.*, ♂.

10. O. FUSCIPES, *Oliv. E.* v. 372, pl. 31, f. 464; *Walt. in Ann. Nat. Hist.* xix. *Supp.* 445—453, pl. 15. B. M.
... maritimus, *Don.* xv. 63, pl. 533, f. 1, ♀, f. 2, ♂.
... hypolaus et sacer, *Kirb. Mus.*
... Fagi, ♀ (*Chevr.*), *Schönh.*

11. O. EBENINUS, *Schönh.; Walt.* B. M.

12. O. ATROAPTERUS, *DeGeer*, v. 243, pl. 7, f. 22—24; *Gyll.; Schönh.; Steph. Manual.* B. M.
... ater, *Steph. Mand.*
... niger, *Steph. Manual, sec. ej. Mus.; non Fab.*

13. O. MONTICOLA (*Dej.*), *Germ.; Schönh.; Steph. Man.* B. M.
... lævigatus, *Herbst, C.* vi. 347, pl. 87, f. 6; *Gyll.; Steph. Mand.*

14. O. SCABROSUS, *Marsh.; Steph.; Schönh.* B M.

15. O. LIGNEUS, *Oliv. E.* v. 378, pl. 31, f. 473; *Steph. Manual.* B. M.
... scabridus (*Kirb.*), *Steph. Mand.; Schönh.*

16. O. MAURUS, *Gyll.; Curt. E.* ii. pl. 690; *Steph.; Schönh.* B. M.

17. O. RAUCUS, *Fab.; Herbst, C.* vi. 343, pl. 87, f. 2; *Gyll.; Marsh.; Steph.; Schönh.* B. M.
... tristis, *Bonsd. C. S.* ii. 36, f. 28.

*18. O. SEPTENTRIONIS, *Herbst, C.* vi. 360, pl. 88, f. 6; *Germ.; Schönh.; Mus. Stev.*
... setosus, *Gyll.*

40. LIXUS, *Fabricius.*

1. L. ASCANII, *Linn.; Pz. F.* 42. f. 13; *Steph. Schönh.*

2. L. PARAPLECTICUS, *Linn. sec. ej. Mus.; Kirb. Mus.; Herbst, C.* vi. 42, pl. 62, f. 1; *Gyll.; Schönh.; Don.* x. pl. 348, f. 2. B. M.
... productus (*Marsh.*), *Steph.; Samou. Ent. Cab.* 26, 2.

3. L. GEMELLATUS, *Gyll.; Schönh.* B. M.
... paraplecticus, *Marsh; Steph.*

4. L. ANGUSTATUS, *Fab.; Marsh.; Steph.; Curt. E.* ii. pl. 542; *Schönh.* B. M.

5. L. BICOLOR, *Oliv. E.* v. 244, pl. 30, f. 460; *Schönh.; Steph. Manual.* B. M.
... lateralis, *Steph. Mand.*

41. LARINUS, *Schüppel; Germar.*

1. L. STURNUS, *Herbst?; Steph.* (*peregr.*) B. M.

2. L. CARLINÆ, *Oliv. E.* v. 280, pl. 21, f. 282; *Schönh.* B. M.
... ebeneus, *Marsh.; Don.* xv. pl. 509, f. 2.
... Rhinobatus planus, *Steph.*

42. RHINOCYLLUS, *Germar.*

1. R. LATIROSTRIS, *Latr.; Schönh.; Steph. Manual.* B. M.
... Cardui, *Don.* xv. pl. 512.
... thaumaturgus, *Steph. Mand.*

43. PISSODES, *Germar.*

1. P. PINI, *Linn.; Herbst, C.* 147, pl. 70, f. 2; *Gyll.; Steph.; Schönh.* B. M.

2. P. NOTATUS, *Fab.; Oliv. E.* v. pl. 16, f. 42, b, c; *Gyll.; Steph.; Schönh.* B. M.
... Fabricii (*Leach*); *Steph. Mand.* iv. 88, pl. 21, f. 1.

3. P. PICEÆ, *Illig.; Schönh.; Walt.* (*peregr.?*) B. M.
... Curc. Pini, *Panz.* 42, f. 1.
... Fabricii, *Leach, MSS. Brit. Mus.*

44. MAGDALINUS, *Germar.; Schönherr.*

Magdalis, *Germar.*
Thamnophilus, *Schönh. olim.*

1. M. PHLEGMATICUS, *Herbst, C.* vii. 6, pl. 96, f. 1, A; *Gyll.; Germ.; Schönh.*

2. M. CARBONARIUS, *Linn.; sec. ej. Mus.; Gyll.*, ♀; *I. S.* iii. 187; *Curt. E.* ii. pl. 212, 7, ♂, 8, ♀.
... atratus, ♂, *Gyll. I. S.* iii. 187.
... atramentarius, *Germ.; Gyll.*, ♂, ♀, *I. S.* iv. 562; *Schönh.*

3. M. ATRAMENTARIUS, *Marsh., Steph., Kirb. Mus.* B. M.
... Cerasi, *Herbst, C.* vi. 68, pl. 64, f. 2, ♂.
... stygius, *Marsh.; Gyll.; Schönh.*
... carbonarius, *Steph., sec. ej. Mus.*
... aterrimus, *Fab.; Germ.; Steph.*
... asphaltina, ♂, *Steph., sec. ej. Mus.*

4. M. CERASI, *Linn. Mus.; Herbst. C.* vii. pl. 64, f. 1; *Marsh.; Germ.; Gyll.; Schönh.* B. M.
... Rhina, ♀, *Gyll. I. S.* iii. 83.
... Rhinodes Cerasi, ♀, *Steph.*
... Panus barbicornis, ♂, *Steph., sec. ej. Mus.*

5. M. PRUNI, *Linn. Mus.; March.; Gyll.; Germ.; Schönh.* B. M.
... ruficornis, *Linn. Mus.*
... erythrocerus, *Herbst, C.* vi. pl. 64, f. 6.
... Rhinodes Pruni, *Steph.*

45. ERIRHINUS, *Schönherr.; Stephens.*
Notaris et Dorytomus, *Steph.*

* Femora mutica.

1. E. FESTUCÆ, *Herbst, C.* vi. 327, pl. 85, f. 13; *Gyll.; Steph.; Schönh.* B. M.

2. E. NEREIS, *Pk.; Gyll.*, ♀; *Steph.; Schönh.* B. M.
... Typhæ, *Ahr. Nov. A. H.* ii. pl. 1, f. 6.
... inquisitor, *Steph. Mand.*
... Arundineti (*Kirb.*), *Steph.*

3. E. SCIRRHOSUS, *Schönh.; Steph. Manual.*
... brunnirostris, *Oliv. E.* v. 83, pl. 34, f. 524.
... Nereis, *Gyll.*, ♂.

4. E. PILLUMUS, *Sturm.; Schönh.; Walt.* B. M.
... Bagous Beckwithii, *Kirb. Mus.*, No. 9.
... Chamomillæ, *Koch, in litt.*

5. E. ACRIDULUS, *Linn.; Pz.* 42, f. 10; *Gyll.; Steph.; Schönh.* B. M.
... rigidus et resinosus, *Marsh.*

6. E. ÆTHIOPS, *Fab.; Gyll.; Steph.; Curt. E.* ii. pl. 634; *Schönh.* B. M.

7. E. BIMACULATUS, *Fab.; Herbst, C.* vi. 291, pl. 82, f. 8; *Gyll.; Steph.; Schönh.* B. M.

8. E. SCIRPI, *Fab.; Oliv. E.* 83, pl. 29, f. 427; *Schönh. Walt.* B. M.

** Femora dentata. (Dorytomus, auctor.).

9. E. VORAX, *Fab.; Herbst, C.* vi. 165, pl. 71, f. 4, ♀; *Gyll.; Steph.; Schönh.* B. M.
... ventralis, *Steph. Mand.*
... longimanus, ♂, et tremulæ, ♀, *Marsh.; Kirb. Mus.*

10. E. TREMULÆ, *Pk.; Oliv. E.* v. pl. 34, f. 520, a—b; *Gyll.; Steph.; Schönh.*
... fumosus, *Rossi, sec. Gyll. et Schönh.*
... vecors, *Schönh.*, ♂; *Steph. Manual.*

11. E. COSTIROSTRIS, *Schönh.; Walt.* B. M.
... Tremulæ, *Steph., sec. ej. Mus.*
... bituberculatus (*Zetterst.*), *Schönh.*

12. E. MACULATUS, *Marsh.; Kirb. Mus.* B. M.
... fumosus, *Steph. Mand.*
... Capreæ, *Chevr. in litt.*

13. E. AFFINIS, *Pk.; Gyll.; Steph.; Schönh.* B. M.
... flavipes, *Oliv. E.* v. pl. 34, f. 523.

14. E. TÆNIATUS, *Fab.; Gyll.; Steph.; Schönh.* B. M.

15. E. SALICIS, *Walt.; Mus. Stev. et Walt.* B. M.

16. E. SALICINUS, *Gyll.; Schönh.*

17. E. MAJALIS, *Pk.; Gyll.; Steph.; Schönh.* B. M.
... flavipes, *Pz. F.* 61, f. 11.

18. E. PECTORALIS, *Pz. F.* 36, f. 16; *Gyll.; Steph.; Germ.; Schönh.* B. M.
... melanopthalmus, *Steph. Mand.*
... fructuum et rubellus, *Marsh.*

19. E. AGNATHUS (*Dahl.*), *Schönh.; Walt.* B. M.
... majalis, ♂, *Steph., sec. ej. Mus.*

20. E. TORTRIX, *Linn. Mus.; Herbst, C.* pl. 18, f. 2; *Marsh.; Gyll.; Steph.; Schönh.* B. M.
... arcuatus, *Steph. Mand.*

21. E. VALIDIROSTRIS, *Schönh.; Walt.* B. M.
... Waltoni, *Schönh. Supp.*

46. GRYPIDIUS, *Schönherr.*

1. G. EQUISETI, *Fab.; Pz. F.* 42, f. 4; *Marsh.; Gyll.; Steph.; Schönh.* B. M.

47. ELLESCHUS, *Megerle.*

1. E. BIPUNCTATUS, *Linn.; Pz. F.* 62, f. 7; *Gyll.; Germ.; Steph.; Schönh.* B. M.

2. E. SCANICUS, *Pk.; Pz. F.* 99, f. 9; *Gyll.; Germ.; Schönh.*
... Erirhin. pallidesignatus, *Schönh.; Mus. Wollast.*

48. ANTHONOMUS, *Germar.*

1. A. POMORUM, *Linn. Mus.; Marsh.; Gyll.; Germ.; Steph.; Curt. E.* ii. pl. 562; *Schönh.* B. M.
... incurvus, *Steph., sec. ej. Mus.*

2. A. ULMI, *DeGeer*, v. 215, pl. 6, f. 26—30; *Marsh.; Gyll.; Steph.; Schönh.* B. M.
... fasciatus, *Marsh.; Steph. Mand.*
... pedicularius, *Germ. Mag.* iv. 322.
... Druparum, *Steph., sec. ej. Mus.*

3. A. PEDICULARIUS, *Linn. Mus.; Marsh.; Kirb. Mus.; Steph. Mand.* B. M.
... Ulmi, *Gyll., var.* c; *Schönh.*, γ.
... Pomonæ, *Germ. Mag.* iv. 323.

4. A. PUBESCENS? *Pk.; Gyll.; Germ.; Schönh.; Walt.*

5. A. RUBI, *Herbst, C.* vi. 167, pl. 71, f. 8; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... ater et melanopterus, *Marsh.; sec Mus. Steph. et Kirb.*
... obscurus, *Steph., sec. ej. Mus.*
... brunnipennis, *Curt. Ann. Nat. Hist.* v. 280.

49. BALANINUS, *Germar.*

1. B. TURBATUS, *Gyll.; Schönh.; Steph. Manual.* B. M.
... Nucum, *Germ. olim.*
... elephas, *Steph. Manual.*
... longirostris, ♀, et rufo-griseus, ♂, *Kirb. Mus.*

2. B. NUCUM, *Linn. Mus.*, ♂, ♀; *Samou.* pl. 2, f. 20; *Gyll.; Steph.; Schönh.* B. M.
... gulosus, *Germ. olim.*
... glandium, *sec. Mus. Marsh., Kirb., et Curt.*

3. B. VENOSUS, *Germ.; Schönh.* B. M.
... Nucum, *sec. Mus. Marsh. Kirb. et Curt.; nec Linn.*
... glandium, *Steph.*

4. B. VILLOSUS, *Fab.; Herbst, C.* vi. 195, pl. 73, f. 8; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... tenuirostris, *Fab.* ♂, *sec. Mus. Banks.; Marsh.; Steph. Mand.*
... Cerasorum, *Fab.*, ♀, *sec. Mus. Banks.; Marsh.; Kirb. Mus.*

5. B. CERASORUM, *Herbst; Gyll.; Germ.; Schönh.* B. M.
... Betulæ, *Steph. Mand.* iv. 70, pl. 20, f. 4.

6. B. BRASSICÆ, *Fab.; Germ.; Schönh.; Steph. Manual.* B. M.
... Salicivorus, *Herbst, C.* vi. 200, pl. 73, f. 12; *Steph. Mand.*
... arcuatus, *Marsh.*
... scutellaris (*Wilkin*), *Steph. Mand.*
... Anthon. clavatus, *Marsh.; Steph.*

7. B. PYRRHOCERAS, *Marsh*, ♂; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... curvatus, *Marsh.*, ♂, *sec. Mus, Kirb.; Steph. Mand.*
... intermedius, *Marsh.; Steph. Mand.; Kirb. Mus.*, ♂.

8. B. CRUX, *Fab.; Oliv. E.* v. 154, pl. 29, f. 440; *Steph. Manual; Schönh.* B. M.

50. TYCHIUS, *Germar.*

1. T. 5-PUNCTATUS, *Linn. Mus.; Gyll.; Steph.* iv. 54, pl. 20, f. 3; *Schönh.* B. M.
... 5-maculatus, *Linn. Mus.*

2. T. VENUSTUS, *Fab.; Herbst, C.* vi. pl. 71, f. 2; *Gyll. Steph.; Schönh.* B. M.
... vernalis et bivittatus, *Marsh.*
... nervosus, *Marsh.; Steph. Mand.*

*3. T. HÆMATOCEPHALUS, *Schönh.; Mus. Wollast.*
... Dorytomus thoracicus (*Spence*), *Kirb. Mus.*

*4. T. FLAVICOLLIS, *Schönh.; nec Kirb.* B. M.

5. T. MELILOTI (*Kirb.*), *Steph.; Schönh.* B. M.

6. T. SCHNEIDERI, *Herbst, C.* vi. 268, pl. 80, f. 7; *Schönh.* B. M.
... Miccot. lineatulus (*Kirb.*), *Steph.*
... lineatulus, *Schönh. Supp.*

*7 T. NIGRIROSTRIS, *Mus. Walt., et Wollast., Stev., et Daws.* B. M.

8. T. TOMENTOSUS, *Herbst, C.* vi. 278, pl. 81, f. 7; *Steph. Manual; Schönh.* B. M.
... villosus, *Marsh; sec. Steph. Syst. Cat.*
... picirostris, *Gyll.; Steph. Mand.*
... Stephensi, *Schönh.; Steph. Manual.*

9. T. JUNCEUS, *Reich. Mant. Ins.* xv. pl. 1, f. 11; *Schönh.*
... flavicollis (*Kirb.*), *Steph.*
... canescens, *Marsh.* ?

51. MICCOTROGUS, *Schönherr.*

1. M. PICIROSTRIS, *Fab.; Germ.; Steph. Manual.* B. M.
... cinerascens, *Marsh.; Gyll.; Steph. Mand.*

52. SMICRONYX, *Schönherr, Supp.*

*1. S. JUNGERMANNIÆ, *Reich. Mant.* xvi. pl. 1, f. 12; *Schönh.* B. M.

*2. S. CICUR, *Reich.; Schönh.; Germ.* B. M.
... variegatus, *Dej.; Schönh.; sec. Germ.*

3. S. PYGMÆUS, *Curt. Ann. Nat.* v. 280. B. M.

53. SIBYNES, *Germar.; Schönherr.*
Sibinia, *Germar.*

1. S. ARENARIÆ (*Kirb.*), *Steph.; Schönh.* B. M.

2. S. PRIMITUS, *Herbst, C.* vi. 104, pl. 66, f. 8; *Germ.; Steph.; Schönh.* B. M.
... signatus. *Gyll.*
... Tychius parvulus (*Kirb.*), *Steph.*

3. S. POTENTILLÆ, *Koch.; Germ.; Schönh.* B. M.
... villosus, *Marsh., sec. Mus. Kirb.*
... pyrrhodactylus, *Marsh., sec. Mus. Kirb.*
... Viscariæ, *Steph. non Linn.*

54. ACALYPTUS, *Schönh.*

1. A. CARPINI, *Herbst, C.* vi. 204, pl. 74, f. 3, a, b; *Gyll.; Schönh.; Walt.; Mus. Stev. et Walt.* B. M.
... sericeus et rufipennis, *Schönh.*

55. ANOPLUS, *Schüppel.*

1. A. PLANTARIS, *Næz.; Gyll.; Steph.; Schönh.* B. M.
... brevis, *Marsh.*
... nitidulus (*Wilk.*), *Steph. Mand.*
... atratus (*Wilk.*), *Steph. Mand.*

56. ORCHESTES, *Illiger.*

1. O. QUERCUS, *Linn. Mus.; Gyll.; Steph.; Schönh.* B. M.
... depressus, *Marsh.; Steph. Mand.*
... rufus, *Don.* xi. pl. 389, f. 3.
... semirufus, *var. Steph. Manual, sec. ej. Mus.*

2. O. SCUTELLARIS, *Fab.; Gyll.; Steph.; Schönh.* B. M.
... rufus, *Don.* vii. pl. 249, f. 1; *Marsh.*

*3. O. RUFUS, *Oliv. E.* v. 101, pl. 32, f. 485; *Schönh.; Mus. Brit.* B. M.
... hæmaticus, *Germ.*

4. O. MELANOCEPHALUS, *Oliv. E.* v. 100, pl. 32, f. 483; *Steph. Manual.* B. M.
... ferrugineus, *Marsh.; Steph. Mand.*
... atricapillus, *Marsh.; Steph. Mand.*
... nigricollis, *Marsh.; Steph.*
... carnifex, *Germ.*

5. O. ALNI, *Linn. Mus.; Don.* vii. pl. 249, f. 2; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.

6. O. ILICIS, *Fab.; Oliv. E.* v. 101, pl. 32, f. 486; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... pilosus, *Marsh.; Steph. Mand.*
... pubescens, *Steph. Manual.*

7. O. FAGI, *Linn.; nec. ej. Mus.; Fab.; Herbst; Gyll. Germ.; Steph. Mand.; Schönh.* B. M.
... calcar, *Fab.; Oliv. E.* v. 103, pl. 32, f. 488.
... Fragariæ et rhododactylus, *Marsh.; Steph. Cat.*
... rhodopus, *Marsh.; Steph.*

8. O. PRATENSIS, *Germ.; Schönh.* B. M.
... tomentosus (*Voght*), *Schonh.; Steph. Manual.*
... Waltoni, *Curt. E.* ii. pl. 678.

*9. O. IOTA, *Fab.; Oliv. E.* v. 105, pl. 32, f. 491; *Gyll.*, iv. *App.* 598; *Germ.; Schönh.* B. M.

10. O. LONICERÆ, *Fab.; Herbst, C.* vi. 427, pl. 93, f. 9; *Germ.; Gyll.; Steph.; Schönh.* B. M.

11. O. AVELLANÆ, *Don.* vi. pl. 205, f. 3 (1797); *Marsh.; Steph. Mand.* B. M.
... signifer, *Creutz* (1799); *Gyll.; Schonh. Supp.*
... X-album (*Kirb.*), *Steph. Mand.*
... Salicis, *Germ.; Schönh.; Steph. Manual; nec Linn.*

12. O. RUSCI, *Herbst, C.* vi. 424, pl. 93, f. 16; *Germ.; Steph. Manual; Schönh.* B. M.
... bifasciatus. *Gyll.; Steph. Mand.*
... decoratus, et affinis, *Steph. Mand.*
... Tachy. decoratus, *Steph. Manual.*
... confusus, *Kirb. Mus.*

57. TACHYERGES, *Schönherr.*

1. T. SALICIS, *Linn. Mus.; Fab. sec. Mus. Banks.; Marsh.; Kirb. Mus.; Gyll.; Steph. Mand.; Schönh. Supp.* B. M.
... Capreæ, *Fab. Mus. Banks.; Don.* iv. pl. 125, f. 5—7; *Steph. Manual.*
... bifasciatus, *Germ.; Schönh.*

2. T. STIGMA, *Germ.; Steph.; Schönh.* B. M.
... Iota, *Gyll.* iii. 248.
... confundatus, *Steph. Manual.*
... Tachy. Populi, et rufitarsis, *Steph. Mand.*
... Orchestes Populi, *Steph. Manual.*

3. T. SALICETI, *Fab.; Gyll.; Germ.; Steph.; Schonh.* B. M.
... scutellatus (*Wilkin*), *Steph. Mand.*

58. ORTHOCHÆTES, *Müller.*

1. O. SETIGER, *Germ.*; *Steph.; Schönh.* B. M.

59. TRACHODES, *Schüppel.*

1. T. HISPIDUS, *Linn.; Germ.; Schönh.; Walt.* B. M.
... squamifer, *Gyll.*
... acanthion, *Beck. Beit. F.* xxii. pl. 6, f. 32.

60. BARIDIUS, *Germar.; Schönherr.*

Baris, *Germar.*

1. B. T-ALBUM, *Linn. Mus.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... funereus, *Herbst. C.* vi. 164, pl. 71, f. 3.
... Atriplices et pilistriatus (*Kirb.*), *Steph Mand.*
... hypoleucus, *Marsh.*

2. B. LATICOLLIS, *Marsh.* (1802). B. M.
... nitens, *Herbst, C.* vi. 160, pl. 70, f. 13.
... picinus, *Germ.* (1824); *Schönh.*
... Artemisiæ, *Steph.*
... impunctatus (*Kirb.*), *Steph.*

3. B. PICICORNIS, *Marsh.* (1802). B. M.
... Abrotani, *Müll.; Germ.* (1824).
... punctatus, *Dej.; Schönh.* (1836).

4. B. ANALIS, *Oliv.; Curt. E.* ii. pl. 766; *Schönh.; Steph. Manual.* B. M.

61. CRYPTORHYNCHUS, *Illiger.*

1. C. LAPATHI, *Linn. Mus.; Curt. Linn. Soc. Tr.* i. 86, pl. 5, f. 1—5; *Don.; Marsh.; Gyll.; Steph.; Schönh.* B. M.

62. CŒLIODES, *Schönherr.*

1. C. QUERCUS, *Fab.; Herbst, C.* vi. 412, pl. 92, f. 7; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... pallens, *Marsh.*
... melanorhynchus, *Marsh.; Steph. Mand.*

2. C. RUBER, *Marsh.; Don.* xi. pl. 389, f. 1; *Steph.; Schönh.* B. M.
... rufirostris (*Spence*), *Steph. Mand.*
... Quercus, *Gyll. var.* 6.

3. C. RUBICUNDUS, *Pk.; Pz. F.* 99, f. 12; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... melanocephalus, *Marsh.; Steph.*

*4. C. SUBRUFUS, *Herbst, C.* vi. 418, pl. 92, f. 14; *Gyll.; Schönh.* B. M.

5. C. GERANII, *Pk.; Curt. E.* ii. pl. 670; *Gyll.; Steph.; Schönh.* B. M.
... exiguus, *Oliv.; Schönh.*

6. C. DIDYMUS, *Fab.; Herbst, C.* vi. 397, pl. 91, f. 6; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... Urticæ, *Marsh.; Steph. Mand.*
... 4-maculatus, *Linn.; Fab.; sec. Mus. Linn. et Mus. Banks.*
... gibbipennis, *Germ.*

7. C. GUTTULA, *Fab.; Herbst, C.* vi. 393, pl. 91, f. 3; *Gyll.; Steph.; Schönh.* B. M.
... fuliginosus, *Marsh.; Steph.; Schönh.*
... cinereus, *Marsh.; sec. Mus. Kirb.*
... ruficornis, *Steph.*
... umbrinus et canaliculatus, *Schönh.*

63. RUTIDOSOMUS, *Stephens.*

1. R. GLOBULUS, *Herbst, C.* vi. 398, pl. 91, f. 7; *Gyll.; Steph.; Schönh.* B. M.

64. MONONYCHUS, *Schüppel.*

1. M. PSEUDACORI, *Fab.; Curt. E.* ii. pl. 292; *Steph.; Schönh.* B. M.

65. ACALLES, *Schönherr.*

1. A. PTINOIDES, *Marsh.; sec. ej. Mus.; Schönh. Supp.* B. M.
... nocturnis (*Chevr.*), *Schönh.*

2. A. MISELLUS, *Schönh. Supp.* B. M.
... Ptinoides, *Gyll.; Steph.; Kirb. Mus.; non Marsh.*

3. A. ROBORIS, *Curt. E.* ii. pl. 550; *Steph. Manual.* B. M.
... abstersus et Navieresi (*Chevr.*), *Schönh.*

66. BAGOUS, *Germar.*

1. B. BINODULUS, *Herbst, C.* vi. 247, pl. 77, f. 15; *Gyll.; Steph.; Schönh.* B. M.

*2. B. LIMOSUS, *Gyll.; Schönh.* B. M.
... subcarinatus, *Schönh.*

*3. B. PETROSUS, *Herbst, C.* vi. 366, pl. 89, f. 1; *Germ.; Schönh.* B. M.
... laticollis, *Schönh.*
... chorinæus, *Schönh.*
... tempestivus, *Kirb. MSS.*, No. 8, *et Mus. Spence*, 230.

*4. B. FRIT? *Herbst; Gyll.; Schönh.* B. M.

*5. B. LUTULOSUS, *Gyll.; Schönh.* B. M.

*6. B. TEMPESTIVUS, *Herbst*, *C.* vi. 246, pl. 77, f. 14; *Schönh. Syn. Ins.* iii. 546; *Mus. Stev.*, *Waterh.*, *Walt. et Spence*, No. 229, *sec. Kirb. MSS.* B. M.
... cnemerythrus, *Schönh. Supp.*; *nec Marsh.*

7. B. LUTOSUS, *Gyll.*; *Steph.*; *Schönh.* B. M.
... tubercularis, *Kirb. Mus. et Walt.*

8. B. LUTULENTUS, *Gyll.*; *Steph.*; *Schönh.* B. M.
... Collignensis, *Herbst*, *C.* vii. 50, pl. 98, f. 7.
... binotatus, *Steph.*

9. B. (LYPRUS) CYLINDRUS, *Pk.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.*; *Ahr. in Nov. Act. Hal.* ii. 18, pl. 1, f. 9. B. M.
... cnemerythrus, *Marsh*; *sec. Mus. Kirb.*, No. 6.

67. HYDRONOMUS, *Schönherr.*

1. H. ALISMATIS, *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... glabrirostris, *Herbst*, *C.* vi. 254, pl. 78, f. 9?
... cnemerythrus, *Marsh.*, β; *sec. Steph. Cat.*

68. PACHYRHINUS, (*Kirby*), *Stephens*; *Curtis.*

Phytobius, *Schmidt. Schönh.*
Litodactylus, *Redten.*

1. P. VELATUS, *Beck. Beitr. Ins. Fn.* 20, pl. 6, f. 29; *Germ. Schönh.* B. M.
... Myriophylli, *Steph.*
... natator, *Kirb. Mus.*

2. P. LEUCOGASTER, *Marsh.*; *Steph.*; *Schönh. Supp.* B. M.
... Myriophylli, *Gyll.*
... gonymelas, *Kirb. Mus.*

3. P. COMARI, *Herbst*; *Gyll.*; *Steph.*; *Curt. E.* ii. pl. 558; *Schönh.* B. M.

*4. P. WALTONI, *Schönh. Supp.* B. M.

5. P. 4-TUBERCULATUS, *Fab.; Herbst, C.* vi. 409, pl. 92, f. 3; *Gyll.; Schönh.* B. M.
... Rhin. 4-tuberculatus, *Steph.*
... Pachyr. 4-dentatus, *Steph.*

6. P. 4-NODOSUS, *Gyll.; Steph.; Schönh.* B. M.

7. P. 4-CORNIS, *Gyll.; Steph.; Schönh.* B. M.
... Rhin. 4-cornis, *Steph.*

*8. P. CANALICULATUS (*Kirb.*), *Schönh. Supp.* B. M.

69. RHINONCUS, *Schönherr.*

1. R. PERICARPIUS, *Fab.; Herbst, C.* vi. 401, pl. 91, f. 12; *Gyll.; Steph.; Schönh.* B. M.
... Spartii (*Kirb.*), *Steph. nec Kirb. MSS.*
... Rumicium, *Kirb. MSS. et Mus.*

2. R. SUBFASCIATUS, *Gyll.; Schönh.* B. M.
... tibialis, *Steph.*
... guttalis, *Gravenh.; Schönh.*

3. R. CASTOR, *Fab.; Gyll.; Steph.; Schönh.* B. M.
... fruticulosus, *Herbst, C.* vi. 400, pl. 91, f. 10.
... Pericarpius, *Linn. Mus.*
... leucostigma, *Marsh.; Steph.*
... flavipes, interstitialis et rufipes, *Steph.*

4. R. INCONSPECTUS, *Herbst, C.* vi. 405, pl. 91, f. 15; *Gyll. Schönh.* B. M.
... crassus, *Marsh.; Steph.*
... canaliculatus (*Marsh.*), *Steph.*

5. R. BRUCHOIDES, *Herbst, C.* vi. 416, pl. 92, f. 18; *Schönh.* B. M.
... leucogaster, *Gyll.* iii. 161.
... Pachyr. rufescens, *Steph.; Curt.*

70. CEUTHORHYNCHUS, *Schüppel.*

Nedyus, *Steph.*

1. C. ASSIMILIS, *Pk.; Marsh.; Gyll.; Steph.; Schönh.* B. M.
... Alauda, *Herbst, C.* vi. 440, pl. 92, f. 5.
... obstrictus, *Marsh.; Steph. Mand.*
... subrufus, *Marsh.? Steph.*

2. C. ERYSIMI, *Fab.; Panz. F.* 17, f. 7; *Marsh.; Gyll.; Steph.; Schönh.* B. M.
... chloropterus (*Kirb.*), *Steph. Mand.*

3. C. CONTRACTUS, *Marsh.; Gyll.; Steph.; Schönh.* B. M.

4. C. COCHLEARIÆ, *Gyll.; Steph.; Schönh.* B. M.

5. C. CONSTRICTUS, *Marsh.; Steph.; Schönh. Supp.* B. M.

6. C. ERICÆ, *Gyll.; Steph.; Schönh.* B. M.

*7. C. SETOSUS (*Mærkel*), *Schönh. Supp.; Mus. Walt.*

8. C. LITURA, *Fab.; Gyll.; Schönh.* B. M.
? ... ovalis, *Linn.?; Marsh.; Steph.*

9. C. TRIMACULATUS, *Fab.; Oliv. E.* v. 211, pl. 23, f. 320; *Gyll.; Schönh.* B. M.
... litura, *Steph.*
... leucomelanus, *Kirb. Mus.*

10. C. POLLINARIUS, *Foster; Gyll.; Steph.; Schönh.* B. M.
... dentatus, *Marsh.*
... caliginosus, *Steph. Mand.*

*11. C. VIDUATUS, *Gyll.; Schönh.* B. M.

*12. C. IMPRESSICOLLIS (*Little, in litt.*), *Mus. Little, Woll. et Walt.; nec* depressicollis, *Gyll.*

13. C. QUADRIDENS, *Panz. Fn.* 36, f. 13. B. M.
... Quercicola, ♀, *Marsh.; Kirb. Mus.*
... pallidactylus, ♂, *Marsh.; Steph. Mand.*
... Borraginis, *Gyll.; Steph.*

14. C. QUERCICOLA, *Fab.; Herbst, C.* vi. 403, pl. 91, f. 13; *Gyll.; Steph.; Schönh.* B. M.
... uniguttatus, *Marsh. sec. Mus. Steph.*

15. C. MELANOSTICTUS, *Marsh.; Kirb. Mus.; Schönh.* iv. 532. B. M.
... rugulosus, *Steph., nec Herbst.*
... Lycopi (*Chevr.*), *Schönh.*

16. C. CHRYSANTHEMI, *Müller; Germ.; Gyll.; Steph.; Schönh.* B. M.
... rugulosus, *var.* c, *Gyll.; Schönh. sec. ej. Mus.*

17. C. MELANOSTIGMA, *Marsh.; Kirb. Mus.; Steph.* B. M.
... rugulosus, *Herbst, C.* vi. 406, pl. 91, f. 16?; *Gyll.* iv. 596; *Germ.?; Schönh.* viii. 153?
... cinereus, *Marsh.; Steph., sec. Mus. Steph.*
... subrufus, *Marsh., var., sec. Mus. Kirb.*
... scutellatus, *Steph., sec. Mus. Steph.*

18. C. ASPERIFOLIARUM (*Kirb.*), *Steph.; Gyll.; Schönh.* B. M.
... 4-maculatus, *Marsh.; Steph.*
... congener, *Schüpp.; Germ.*

*19. C. CRUX (*Walt. in litt.*), *nec Aubei; Mus. Heysham, Woll., Daws., et Walt.*

*20. C. CRASSIDENTATUS (*Marshall, in litt.*), *Mus. Marshall.*

*21. C. ULIGINOSUS (*Walt.*), *Schönh. Supp.; Mus. Walt.*

*22. C. URTICÆ (*Walt.*), *Schönh. Supp.; Mus. Walt., et Heysham.*

23. C. ECHII, *Fab.; Panz. F.* xvii. f. 12; *Marsh.; Steph.; Schönh.* B. M.

24. C. TROGLODYTES, *Fab.; Oliv. E.* v. 214, pl. 23, f. 317; *Marsh.; Germ.; Gyll.; Steph.; Schönh.* B. M.
... pusio, *Panz. Fn.* 36, f. 15.
... spiniger, *Herbst, C.* vi. 410, pl. 92, f. 4.

25. C. HORRIDUS, *Fab.; Panz. F.* 84, f. 9; *Steph.; Schönh.* B. M.

26. C. MARGINATUS, *Pk.; Gyll.; Steph.; Schönh.* B. M.
... punctiger (*var.* minor), *Schönh.*

27. C. RESEDÆ, *Marsh.; Schönh.; Seph. Manual.* B. M.

*28. C. BIGUTTATUS (*Waterh.*), *Schönh. Supp.; Mus. Waterh., Stev., et Walt.* B. M.

29. C. SULCICOLLIS, *Gyll.; Schönh.* B. M.
... pleurostigma, *Marsh.*
... Ceuthor. sulcicollis et affinis, *Steph.*

*30. C. HISPIDULUS (*Stev. in litt.*), *Mus. Walt., et Stev.*

*31. C. INAFFECTATUS, *Schönh.; Mus. Stev., et Walt.*
... Rapæ, *Gyll.?*

*32. C. CYANIPENNIS, *Illig.; Gyll.; Germ.; Schönh.* B. M.

*33. C. CHALYBÆUS, *Germ.; Schönh.* B. M.

*34. C. HIRTULUS, *Schüpp.; Gyll.; Germ.; Schönh.* B. M.

71. AMALUS, *Schönherr.; Steph. Man.*

Ceuthorhynchus, *Schüpp.*
Nedyus, *Steph.*

Funiculo 6-articulato.

1. A. SCORTILLUM, *Herbst, C.* vi. 418, pl. 92, f. 13; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... inflexus, *Marsh.*
... castaneus (*Wilk.*), *Steph.*
... Curc. (Balaninus) brunneus, *Marsh.; Steph.*

2. A. FLORALIS, *Pk.; Gyll.; Steph.; Schönh* B. M.
... Typhæ, *Herbst, C.* vi. 415, pl. 92, f. 11.
... sulculus (*Kirb.*), *Steph.*
... monostigma (*Marsh.*), *Steph.*

*3. A. MINIMUS (*Walt. in litt.*), *Mus. Brit.* B. M.

4. A. PYRRHORHYNCHUS, *Marsh.; Steph.; Schönh.* B. M.
... phœorhynchus et ruficrus, *Marsh.; Steph.*
... suturalis, *Steph.*
... pulvinatus, *Gyll.; Schönh.*
... erythrorhynchus, *Schönh.*

A. MELANARIUS (*Kirb.*), *Steph.; Schönh. Supp.* B. M.

6. A. TERMINATUS, *Herbst, C.* vi. 401, pl. 91, f. 11; *Schönh.* B. M.
... apicalis, *Gyll.; Schönh.;*
... Sii (*Chevr.*), *Schönh.*
... Waltoni, *Schönh. Supp.*
... rufitarsis, *Kirb. Mus.*
... Ceuthor. hæmorrhoidalis, *Steph. Manual.*

7. A. NIGRINUS, *Marsh.; Steph.* B. M.
... depressicollis, *Gyll.; Schönh.*

72. POOPHAGUS, *Schönherr.*

1. P. SISYMBRII, *Fab.; Herbst, C.* vi. 159, pl. 70, f. 12; *Marsh.; Gyll.; Steph. Mand.* iv. 27, pl. 20, f. 2; *Schönh.* B. M.

2. P. NASTURTII, *Spence; Germ.; Steph. Manual; Schönh.* B. M.
... Miarus Nasturtii, *Steph. Mand.* iv. 16, pl. 20, f. 1.

73. TAPINOLUS, *Schönherr.*

*1. T. SELLATUS, *Fab.; Herbst; Germ.; Schönh.; Mus. Curt., et Wollast.*
... Lysimachiæ, *Oliv. E.* v. 215, pl. 23, f. 328.

74. OROBITIS, *Germar.*

1. O. CYANEUS, *Linn.; Steph.; Schönh.* B. M.
... globosus, *Fab.; Panz. F.* 57, f. 10; *Herbst; Gyll.; Germ.* B. M.

75. CIONUS, *Clairville.*

Cleopus, *Steph*

1. C. SCROPHULARIÆ, *Linn. Mus.; Don.* ii. pl. 60; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B M.

2. C. VERBASCI, *Fab.; Oliv. E.* v. 107, pl. 23, f. 312; *Gyll.; Germ.; Steph.; Schönh.* B. M.

3. C. THAPSUS, *Fab.; Herbst, C.* vi. 137, pl. 73, f. 2; *Marsh.; Gyll.; Germ.; Steph.; Schönh.* B. M.
... hortulanus, *Marsh.; Gyll.; Steph. Mand.; Schönh.*

4. C. BLATTARIÆ, *Fab.; Clairv. E. H.* i. 66, pl. 3, f. 1; *Steph.; Schönh.* B. M.
... bipustulatus, *Marsh.*

5. C. PULCHELLUS, *Herbst, C.* vi. 356, pl. 88, f. 1; *Germ.; Schönh.* B. M.
... immunis, *Marsh.*
... Solani, *Gyll.*
... Cleopus pulchellus, *Steph.*

76. GYMNETRON, *Schönherr.*

1. G. PASCUORUM, *Gyll.; Germ.; Schönh.* B. M.
... collina, *Steph. Manual.*

*2. G. VERONICÆ, *Germ.; Schönh.* B. M.
... Beccabungæ, *Gyll., var.* b.
... niger, *Germ. in litt.*

3. G. BECCABUNGÆ, *Linn.; Herbst, C.* pl. 74, f. 2, a—b; *Germ.; Gyll.; Steph.; Schönh.* B. M.
... villosulus, *Schönh.*

4. G. LABILIS, *Herbst, C.* vi. 244, pl. 77, f. 12, *Germ.; Schönh.* B. M.
... tricolor, *Marsh.; Gyll.; Steph.*

*5. G. ROSTELLUM, *Herbst, C.* vi. 108, pl. 66, f. 13; *Germ.; Schönh.* B. M.

6. G. MELANARIUS, *Germ.; Schönh.* B. M.
... intaminatus (*Kirb.*), *Steph.*

7. G. NOCTIS, *Herbst, C.* vi. 269, pl. 80, f. 9; *Germ.; Schönh.* B. M.
... Antirrhini, *Marsh.; Gyll.; Steph.*

*8. G. COLLINUS, *Gyll.; Schönh.* B. M.

9. G. LINARIÆ, *Panz. F.* 26, f. 18; *Gyll.; Germ.; Schönh.* B. M.
... Miarus Linariæ, *Steph.*

77. MIARUS, *Schönherr, olim.; Stephens.*

1. M. GRAMINIS, *Gyll.; Germ.; Curt. E.* ii. 627; *Steph.; Schönh.* B. M.
... ellipticus, *Herbst, C.* vi. 171, pl. 71, f. 13.

*2. M. PLANTARUM, *Dej.; Germ.; Schönh.* B. M.
... acephalus, *Marsh., sec. Mus. Steph.*

3. M. CAMPANULÆ, *Linn. Mus.; Herbst, C.* vi. 161, pl. 70, f. 15, ♀; *Gyll.; Germ.; Steph.; Schönh.* B. M.
... acephalus, *Marsh., sec. Mus. Kirb.*

78. MECINUS, *Germar.*

1. M. PYRASTER, *Herbst, C.* vi. 252, pl. 78, f. 6; *Germ.; Schönh.* B. M.
... semicylindricus, *Marsh.; Gyll.; Steph.*

*2. M. COLLARIS, *Germ.; Schönh.; Mus. Stev., et Walt.* B. M.

3. M. CIRCULATUS, *Marsh.; Steph.; Schönh.* B. M.
... hæmorrhoidalis, *Steph.*
... fimbriatus et marginatus, *Germ.*